# Assembly Instructions for 7ft B/D Module.

## Fasteners.

#### **Tools Needed:**

- (I) Hammer
- (I) Power drill
- (I) Level
- \*Suggested 18 guage Brad Gun with 1-1/4 brad nails will make install easier.

Parts
List:


(6) 2-1/2" Phillps
screws for attaching
to wall.


(3) 1-1/4" Joining
Screws to attach to
other modules.


(56) 1-1/4" Shelf screws.

← (30) Nails











B/D-7



## Step 1

Step 1: (Attaching middle shelf to right end ladder and middle ladder)


Arrange the right end ladder and the middle ladder making sure the set back on the rungs are facing forward. Place one preassembled shelf on the fourth rung. The front of the shelf has a 1 x 1 trim piece fastened uner the 1 x 2 cross support. From the inside, either brad nail or screw the shelves onto the rung in two places.



### Step 2

Step 2: (Attaching remaining shelves to right end ladder)


Place the other six shelves onto the remaining six rungs and attach in the same way as Step 1. Make sure the shelves with the trim pieces are facing the front.



### Step 3

Step 3: (Attaching middle shelf to left end ladder and middle ladder)


Take the left end ladder and move it into place on the left side in the same way as the right end ladder. Place one pre-assembled shelf on the fourth rung. The front of the shelf has a 1 x 1 trim piece fastened under the 1 x 2 cross support. From the inside, either brad nail or screw the shelves onto the rung in two places.



## Step 4

Step 4: (Attaching remaining shelves to end ladder and middle ladder)


Place the other six shelves onto the remaining six rungs and attach in the same way as in Step 1. Make sure the shelves with the trim pieces are facing the front.



## Step 5

Step 5: (Attaching 1 x 2 trim to front of rack)


Use two of the 1 x 2 x 2 4-1/2" trim pieces and attach them to the top and bottom. Both of these should be places so the remaining trim is up.




## Step 6

Step 6: ( Attaching 1 x 2 trim to back of rack)

Take the last three 1 x 2 x 2 4-1/2" trim pieces and attach them to the 1st, 5th and 8th shelf from the bottom to the top. All of these should be placed so the remaining trim is up. The exposed area of the trim will be used to screw through to apply the rack to the wall.





### Step 8

Step 8: (Finish)

Fasten to the wall through the back supports using 2-1/2" screws.

## **Fastener Placement Guide** В (56) shelf (30) nails A2 -Nail one screws Closeup **A2** —Place at every shelf on point where 1 x 1's the front and and screw back trim through 1 x intersect a 1's from the ladder as side. shown. В **A1 A1** В B/D-7