

PARTY COOLER

VT-PARTYCOOLER

OWNER'S MANUAL

Your Beverage Cooler

This unit can be used for storage and/or service. The unit has a foldable see-through top, wire basket and two shelves to display beverages.

General Operating Instructions

Remove all external and internal packaging from your beverage cooler. Be sure that all parts have been included before discarding any packaging materials. You may want to keep the box and packing materials for use at a later date.

Upon receipt and inspection of unit, the supply cord must be replaced if it is damaged. Contact our customer service at 1-800-777-8466 or info@vinotemp.com.

READ ALL INSTRUCTIONS BEFORE USING THIS BEVERAGE COOLER

-Save these instructions-

To register your product, visit:
 http://www.vinotemp.com/Warranty.aspx
Register your warranty within 10 days of receiving the unit.
 Please be sure to retain your proof of purchase.

Table of Contents

IMPORTANT SAFETY INSTRUCTIONS	4
COOLER DIAGRAM	5
TECHNICAL DATA	5
ELECTRICAL CONNECTION	6
INSTALLATION INSTRUCTIONS	7
OPERATING YOUR BEVERAGE COOLER	7
CARE AND MAINTENANCE	8
PROBLEMS WITH YOUR BEVERAGE COOLER	9
TROUBLESHOOTING GUIDE	9
CIRCUIT DIAGRAM	9
TERMS OF SALE AND WARRANTY	10
SERVICE & IMPORTANT NOTICE	11

IMPORTANT SAFETY INSTRUCTIONS


To reduce the risk of fire, electrical shock or injury when using your appliance, basic precautions should always be followed, including the following:

- Use this appliance only for its intended purpose as described in this Owner's Manual.
- The manufacturer assumes no liability for parts or labor coverage for component failure or other damages resulting from improper usage, installation or failure to clean and/or maintain product as set forth in these instructions.
- Do not attempt to repair or replace any part of your appliance unless it is specifically recommended in this manual. All other servicing should be referred to a qualified technician.
- Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this appliance. The fumes can create a fire hazard or explosion.
- This appliance is designed for storing and cooling beverages. Do not store perishable food, medicine or other medical products as internal temperature may not be appropriate.
- Never allow children to operate, play with or crawl inside the appliance.

IMPORTANT NOTE: Cooler must remain in the upright position for 30 minutes prior to plugging in the cooler.

WARNING: Risk of child entrapment. An empty beverage cooler can be a dangerous attraction to children. If disposing of the cooler, remove gaskets, latches, or lids from your unused appliance, or take other action to ensure the cooler is harmless.

COOLER DIAGRAM



1. Foldable lid
2. Support bar
3. Wire display basket
4. Handle
5. Side shelf
6. Cabinet
7. Wheel

TECHNICAL DATA

Model No.	VT-PARTYCOOLER
Capacity	74 12 oz. cans / approx. 4.8 gal.
Voltage	115V AC
Current	2A
Protection Class/Climate Class	I/SN;N
Frequency	60Hz
Input Power	110W
Power Consumption (kWh/24h)	1.2
Ambient Temperature	≤90°F
Temperature Control Range	36-46°F
Net Weight / Gross Weight	59.52 lbs / 79.37 lbs
Unit Size	36 2/5" H x 17 4/5" Diameter
Refrigerant	R134a (3.2 oz)

Note: This beverage cooler is constructed to the Underwriters Laboratories' Electrical Sanitation Safety Standards.

Note: This product came in contact with areas that are exposed to pre-painted steel, aluminum or non-toxic plastic metals.

Note: This beverage cooler is designed to store approximately 74 12 oz. cans. Storing large and/or oddly shaped bottles and cans will decrease the capacity of your beverage cooler.

ELECTRICAL CONNECTION

WARNING: Improper use of the grounded plug can result in the risk of electrical shock. If the power cord is damaged, have it replaced by an authorized product service center.

- This unit should be properly grounded for your safety. Do not use extension cords or an adapter.
- Do not kink or pinch the power supply cord.
- The cord should be secured behind the beverage cooler and not exposed or dangling to prevent accidental injury.
- Have the wall outlet and circuit checked by a qualified electrician to make sure the outlet is properly grounded.
- The power cord of this unit is equipped with a 3-pin plug which fits with 3-pin wall outlets to minimize the possibility of electrical shock. Do not, under any circumstances, cut or remove the ground wire from the power cord supplied.
- When a standard 2-pin wall outlet is encountered, it is your responsibility to have it replaced with a properly grounded 3-pin wall outlet.
- This unit requires a standard 115V-60Hz. Follow the voltage, as this
 provides the best performance and also prevents overloading house
 wiring circuits that could cause a fire hazard from overheating.
- While unit is in use, ensure that the supplied voltage does not increase over 10% or decrease under 15% (98-127V).
- Never unplug the appliance by pulling the power cord. Always grip the plug firmly and pull straight out from the outlet.
- Repair or replace immediately all power cords that have become frayed or damaged. Do not use a cord that shows cracks or abrasion damage along its length or at either end. When moving the appliance, be careful not to damage the power cord.

EXTENSION CORDS: Because of potential safety hazards under certain conditions, it is strongly recommended that you **do not use an extension cord with this appliance.**

INSTALLATION INSTRUCTIONS

Before Using Your Appliance:

- Remove the exterior and interior packaging.
- Before connecting the appliance to the power source, let it stand upright for approximately 24 hours. This will reduce the possibility of a malfunction in the cooler system from handling during transportation.

Installation of Your Appliance:

- This unit is shipped ready for use.
- Place your beverage cooler on a leveled floor that is strong enough to support it when it is fully loaded.
- Choose a well-ventilated area with temperatures ≤90°F.
- Side shelves can support up to 9 lbs each and display basket can support 4.41 lbs.

NOTE: Designed for indoor and outdoor operation. The appliance should not be located next to sources of high heat or in direct sunlight.

OPERATING YOUR BEVERAGE COOLER

Power – Temperature control knob is located beneath the cabinet. To turn off the cooler, rotate the knob clockwise until you hear a "click" sound. This means the unit is no longer powered.



Colder – To lower the internal temperature, rotate the temperature control knob clockwise.

Warmer – To raise the internal temperature, rotate the temperature control knob counterclockwise.


NOTE: Temperature control range is 36-46°F.

CARE AND MAINTENANCE

Cleaning your appliance:

- Turn off the power, unplug the appliance, and remove all items.
- Wash the inside surfaces with a clean damp cloth or with neutral soap.
- Wring excess water out of the sponge or cloth when cleaning area of the controls, or any electrical parts.
- Clean the condenser at least once a month with a vacuum cleaner or a brush to eliminate the dust accumulation.
- Do not wash the cooler with direct or high pressure water jets.
- Never clean appliance parts with flammable fluids. These fumes can create a fire hazard or explosion.
- Do not use solvent-based cleaning agents or abrasives on the interior. These cleaners may damage or discolor the interior.
- Do not use sharp objects for cleaning.
- Do not connect or disconnect the electric plug when your hands are wet.

CAUTION: Failure to unplug the appliance could result in electrical shock or personal injury.




PROBLEMS WITH YOUR BEVERAGE COOLER

You can easily solve many common beverage cooler problems, saving you the cost of a possible service call. Try the suggestions below to see if you can solve the problem before contacting Vinotemp at info@vinotemp.com.

TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE CAUSE
Beverage	Not plugged in.
cooler does	Using wrong voltage.
not operate	 The circuit breaker tripped or there is a blown
	fuse.
Beverage	Check the temperature control setting.
cooler is not	Check that the interior fan is operating and not
cold enough	blocked.
	Check that the unit is not touching other
	appliances that cause vibrations.
	 The condenser needs to be cleaned.
	The unit is not on leveled floor.
	The lid is opened too often.
	The lid is not closed completely.
	The lid seal does not seal properly.
Lid will not	The beverage cooler is not level.
close properly	The beverage cooler is too full.
	The seal is weak.

CIRCUIT DIAGRAM



TERMS OF SALE AND WARRANTY

Vinotemp International ("Seller") and the person or entity that acquires these goods from Seller ("Purchaser") hereby fully agree to the following terms and conditions of the sale: Shipping fees are the responsibility of the Purchaser whether freight prepaid or freight collect. Seller assumes no responsibility for the goods sold to the Purchaser once the goods have left the Seller's premises, including, but not limited to, late delivery by the moving carrier, or for events caused by any difficulty carrier incurs in attempting to fit the goods into the Purchaser's place of business or residence due to the size of the goods or otherwise. Purchaser assumes all responsibility for delivery, payment of freight, access, measurement, installation, hook-up, wiring, moving and storage of the goods. The transportation of all goods is subject to the terms and conditions which the moving carrier imposes on Purchaser including, but not limited to, additional charges imposed per flight of stairs, and/or additional charges resulting from the carrier's inability to safely and/or adequately use the building elevator to lift the goods to an upper floor. Any claim for damages incurred during shipment by the carrier of the goods are insured and handled directly with the carrier and must be noted at time of delivery. Any damages due to manufacture defects will be handled directly with Vinotemp International, subject to the limited warranty.

All sales are final, and unless authorized in writing by the Seller, Purchaser may not return the goods, under any circumstance. If Purchaser refuses to accept the goods, under any circumstance, the Purchaser is liable for the return and cost of freight both ways, and if Seller does take back the goods, there will be a restocking/service fee that is 35% of the purchase price of the goods. (Product must be in original packaging). Built-to-Order products (including Cabinets, Racking, and Accessories) are non-returnable. Purchaser must notify Seller of non-conforming goods within four days of delivery, after which time all goods are deemed accepted. If an order has been placed and production has started, cancellation of your order will be a 15% charge. If Purchaser tenders payment with a check that has insufficient funds (NSF), or stops payment on a check or credit card for any reason, Purchaser agrees to pay for all costs associated with the Seller's collection or litigation of such a claim, including without limitation extra damages, court costs and attorneys' fees. Finance charges begin the date of invoice. Collection fees plus NSF fee of \$50 will be added to your invoice, which you agree to promptly pay. Title to the goods does not pass until payment is received in full by Seller and Seller retains a security interest in the goods until they are paid for in full. Statute of limitations must be handled in arbitration in the County of Los Angeles.

LIMITED WARRANTY: Seller warrants that the goods will be free of defects in materials and workmanship as follows: Furniture style (wood) wine cabinets made in the U.S.: all cooling unit parts for a period of 5 (five) years; cabinetry and labor (uninstalled) for a period of 12 (twelve) months from date of sale. For the metal cabinet wine units: parts and labor for cooling system and cabinetry for a period of 12 (twelve) months from date of sale. Thermoelectric Units: 90 (ninety) days from the date of sale (including Wine Coolers, Beer Dispensers, Humidor, Portofino Wood Cellars, and Refrigerators). Wine-Mate Split Systems and installed products are parts only for 1 year, no labor. Other Wine-Mate Cooling Systems are 5 years parts, 1 year labor. Wine Accessories and Racking Systems are not warranted. There is no warranty on parts purchased separately. Removal and re-installation of unit is not included in warranted labor. Purchaser's exclusive remedy is limited, at Seller's option; to repair or replace defective part[s] with either new or factory reconditioned part[s]. Purchaser is responsible for shipping the unit pre-paid to designated facility and Seller will pay return shipping charges in the continental United States for items repaired under warranty within 12 (twelve) months from date of sale. Since the natural variation in texture, density, grain, color, tone and shade of wood is unavoidable; Seller does not guarantee the texture, color, tone or shade of the wood: nor does seller guarantee the colorfastness of wood or against peeling, chipping, cracking or scratching. Note: Unfinished wood is subject to warping; all wood surfaces must be sealed before placing cellar into service. Improper placement of the unit will void the warranty. By Vinotemp in writing, any third party repair facility must be pre-approved before providing parts free of charge. This limited warranty does not cover damage due to such things as accident, misuse, abuse, mishandling, neglect, acts of God, fires, earthquakes, floods, high winds, government, war, riot or labor trouble, strikes, lockouts, delay of carrier, unauthorized repair, or any other cause beyond the control of the Seller, whether similar or dissimilar to the foregoing. Seller is not responsible for any damages caused to Purchaser's property resulting from the good. This limited warranty applies only inside the Continental US. (Alaska, Puerto Rico and Hawaii are not warranted.)

For Non-New Units (Scratch & Dent/Refurbished/Floor Models), warranty for compressor units is 90 days from your dated invoice and 30 days for thermoelectric units (parts for function only, not cosmetic defects). These units are refurbished and sold as is; Purchaser assumes risks to the quality and performance of goods and assumes the costs of all necessary service or repair not covered herein.

For Element Grills (via Element Products LLC), grills have a 1 year comprehensive parts warranty on entire product. Three years limited parts warranty covering the stainless burner and a thirty day limited parts warranty on grill accessories. If grill is defective and unused plus all packaging and parts are intact, we will either replace the grill or provide service to repair the grill. Returned product must accompany all original packaging and parts and is subject to our 35% restocking fee (and freight both ways).

With Wine-Mate products, if the customer calls and the product is "defective", you must obtain a letter from your qualified refrigeration technician at the customers cost, to verify that the unit was installed properly, with proper ventilation and the unit is truly malfunctioning due to manufacture defect.

Purchaser understands and acknowledges that the goods sold here are wine cellars, cigar humidors, and/or other similar units which house wine or cigars. Purchaser assumes all risk of using these units, including risk of spoilage, humidity variations, temperature variations, leaks, fire, water damage, mold, mildew, dryness and similar and any other perils that might occur.

Seller is not responsible for incidental or consequential damages, and there are no warranties, expressed or implied, which extend beyond the Limited Warranty described above. The implied warranties of merchantability and of fitness for a particular purpose are hereby expressly disclaimed. Some states do not allow the exclusion of incidental or consequential damages, or a waiver of the implied warranties of fitness and/or merchantability, so the above limitations may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. Seller disclaims any indemnification for claims of infringement of any intellectual property of protectable nature. In the event of any dispute between Seller and Purchaser arising out of or relating to these terms and conditions or to the goods sold generally, Purchaser must first file a written claim with Seller within ten days of the occurrence giving rise to the claim and wait an additional thirty days for a response before initiating any legal action. The sale and all terms are subject to California law. Any legal proceeding arising out of or relating to these terms and conditions or to the goods sold generally shall be brought solely and exclusively in the County of Los Angeles. In no event may Purchaser initiate any legal proceeding more than six months after the occurrence of the event giving rise to the dispute.

The above terms and conditions are the only ones governing this transaction and Seller makes no oral representations of any kind. These Terms and Conditions can only be modified in writing, signed by both Purchaser and Seller. 05/12

SERVICE & IMPORTANT NOTICE

Upon receipt and inspection of unit, the supply cord must be replaced if it is damaged. Contact our customer service at 1-800-777-8466 or info@vinotemp.com.

The manufacturer has a policy of continuous improvement on its products and reserves the right to change materials and specifications without notice.

WARNING

Please do not place the unit within reach of children. For adult use only.

Contact **info@vinotemp.com** with any questions or visit:

www.vinotemp.com

17631 S. Susana Road Rancho Dominguez, CA 90221 www.vinotemp.com

Vinotemp is a registered trademark of Vinotemp International. All products, features, and services are subject to change without notice. We cannot guarantee the accuracy of the contents of this document. We disclaim liability for errors, omissions, or future changes.

© 2012 Vinotemp International. All rights reserved.